


# D SERIES

## 6.0x6.0 Other Terminal Shape Tact Switch



### HOW TO ORDER

T V D P 0 5



### Features

- Snap-in type, which can be directly mounted on PC board.
- Some of output terminals can be also used as jumper leads, thus making circuit design easy.
- Strengthen the structure with the fixed terminal

### Applications

- Operating switches in all types of electronic equipment such as audio devices, office devices, communication devices, measuring instruments, TVs video recorders, automotive test, etc.

### Specification

Items		Standard
Operating temperature range		-20°C to +70°C
Electrical performance	Rating	50mA. 12V DC
	Insulation resistance	100MW min. 100V DC
	Dielectric strength	250V AC for 1 min.
	Contact resistance	100mW max.
Durability	Lifetime	100,000 Cycles min
Mechanical performance	Operating force	A:90gf B:180gf C:250gf D:70gf
	Travel	0.25 ± 0.1mm

### Diagram

No.	Dimensions	Circuit Diagram								
		Pad Layout								
1	<p>• TVDP05</p> <table border="1"> <thead> <tr> <th>H</th> <th>A</th> </tr> </thead> <tbody> <tr> <td>4.3</td> <td>r3.5</td> </tr> <tr> <td>5.0</td> <td>r3.4</td> </tr> <tr> <td>7.0</td> <td>r3.3</td> </tr> </tbody> </table>	H	A	4.3	r3.5	5.0	r3.4	7.0	r3.3	
H	A									
4.3	r3.5									
5.0	r3.4									
7.0	r3.3									